

LITERATUR**18.1 TERMINOLOGIE**

- APA – American Psychiatric Association (2013). *Diagnostic and Statistical Manual of Mental Disorders*, 5th ed. (DSM-5). Washington, DC: American Psychiatric Press.
- Bliss EL, Branch CH (1960). *Anorexia nervosa*. New York: Hoeben.
- Bruch H (1973). *Eating Disorders. Obesity, Anorexia nervosa and the Person within*. New York: Basic Books.
- Dilling H, Mombour W, Schmidt MH (1991). *Internationale Klassifikation psychischer Störungen - ICD-10. Kapitel V (F): Klinisch-diagnostische Leitlinien*. WHO 1. Aufl. Bern, Göttingen, Toronto: Huber.
- WHO – International Classification of Diseases 11; <https://icd.who.int/browse11/l-m/en>.

18.2 EPIDEMIOLOGIE UND VERLAUF

- Eddy KT, Dorer DJ, Franko DL, et al. (2008). Diagnostic crossover in anorexia nervosa and bulimia nervosa: implications for DSM-V. *Am J Psychiatry* 165: 245–250.
- Fichter MM (2008). Prävalenz und Inzidenz anorektischer und bulimischer Essstörungen. In: Herpertz S, de Zwaan M, Zipfel S (Hrsg.). *Handbuch Essstörungen und Adipositas*. Springer, Heidelberg, S. 38–43.
- Fichter MM (2017). Essstörungen. In: Möller H-J, Laux G, Kapfhammer HP (Hrsg.). *Psychiatrie, Psychosomatik, Psychotherapie*. 5. A. Heidelberg, New York: Springer, Bd. 4: S. 2257–2279.
- Fichter MM, Quadflieg N (2016). Mortality in eating disorders – results of a large prospective clinical longitudinal study. *Int J Eat Disord* 49: 391–401.
- Fichter MM, Quadflieg N, Hedlund S (2008). Long-term course of binge eating disorder and bulimia nervosa: relevance for nosology and diagnostic criteria. *Int J Eat Disord* 41: 577–586.
- Fichter MM, Quadflieg N, Crosby RD, Koch S (2017). Long-term outcome of anorexia nervosa: results from a large clinical longitudinal study. *Int J Eat Disord* 50: 1018–1030.
- Hudson JI, Hiripi E, Pope HG, Kessler RC (2007). The prevalence and correlates of eating disorders in the National Comorbidity Survey replication. *Biol Psychiatry* 61: 348–358.
- Jacobi F, Becker M, Müllender S et al. (2017). Epidemiologie psychischer Störungen. In: Möller H-J, Laux G, Kapfhammer HP (Hrsg.). *Psychiatrie, Psychosomatik, Psychotherapie*. Heidelberg, New York: Springer, Bd. 1: S. 123–246.
- Kask J, Ekselius L, Brandt L, et al. (2016). Mortality in women with anorexia nervosa: the role of comorbid psychiatric disorders. *Psychosom Med* 78: 910–919.
- O'Brian KM, Whelan DR, Sandler DP, et al. (2017). Predictors and long-term health outcomes of eating disorders. *PLoS One* 12(17): e0181104; <https://doi.org/10.1371>.
- Papadopoulos FC, Karamanis G, Brandt L, et al. (2013). Childbearing and mortality among women with anorexia nervosa. *Int J Eat Disord* 46: 164–170.
- Suokas JT, Suvisaari JM, Gissler M, et al. (2013). Mortality in eating disorders: a follow-up study of adult in eating disorder patients treated in tertiary care, 1995–2010. *Psychiatry Res* 210(3): 1101–1116.

18.3 SYMPTOMATIK UND TYPISIERUNG

- Hebebrand J, Himmelman GW, Hesecker H, et al. (1996). Use of percentiles for the body mass index in anorexia nervosa: diagnostic, epidemiological, and therapeutic considerations. *Int J Eat Disord* 19: 359–369.
- WHO – Weltgesundheitsorganisation (1991). *Internationale Klassifikation psychischer Störungen, ICD-10, Kapitel V (F)*. Bern, Göttingen, Toronto: Huber.

18.4 ÄTIOLOGIE UND PATHOGENESE VON ANOREXIA NERVOSA UND BULIMISCHEN ESSSTÖRUNGEN

- Berger M (1989). Zum Stand der Bulimie-Forschung. *Fundamenta Psychiatri* 3: 12–18.

- Bloss CS, Berrettini W, Bergen AW, et al. (2011). Genetic association of recovery from eating disorders: the role of GABA receptor SNPs. *Neuropsychopharmacology* 36: 2222–2232.
- Bodell LP, Brown TA, Keel PK (2017). Weight suppression predicts bulimic symptoms at 20-year follow-up: the mediating role of drive for thinness. *J Abnorm Psychol* 126: 32–37.
- Brownell K, Greenwood MRC, Stellar E, Shrager EE (1986). The effects of repeated cycles of weight loss and regain in rats. *Physiol Behav* 38: 459–464.
- Bruch H (1973). *Eating Disorders. Obesity, Anorexia nervosa and the Person within*. New York: Basic Books.
- Fichter MM (1999). Suchtaspekte bei anorektischen und bulimischen Essstörungen. In: Backmund M (Hrsg.). *Suchttherapie*. Landsberg: ecomed, S. 1–18.
- Levitsky DA, Faust J, Glassmann M (1976). The ingestion of food and the recovery of body weight following fasting in the native rat. *Physiol Behav* 17: 575–578.
- Lindner SE, Fichter MM, Quadflieg N (2012). Decision-making and planning in full recovery of anorexia nervosa. *Int J Eat Disord* 45: 866–875.
- Root TL, Szatkiewicz JP, Jonassaint CR, et al. (2011). Association of candidate genes with phenotypic traits relevant to anorexia nervosa. *Europ Eat Dis Rev* 19: 487–493.
- Schachter S (1971). *Emotion, Obesity and Crime*. New York: Academic Press.
- Steen S, Oppliger RA, Brownell KD (1988). Metabolic effects of repeated weight loss and regain in adolescent wrestlers. *JAMA* 260: 47–50.
- Tchanturia K, Liao P-C, Uher R, et al. (2007). An investigation of decision making in anorexia nervosa using the Iowa Gambling Task and skin conductance measurements. *J Int Neuropsychol Soc* 13: 635–641.

18.5 DIFFERENZIALDIAGNOSTISCHER PROZESS

- APA – American Psychiatric Association (2006). *Practice guideline for the treatment of patients with eating disorders*. *Am J Psychiatry* 163: 1–55; www.psych.org.
- APA – American Psychiatric Association (2013). *Diagnostic and Statistical Manual of Mental Disorders*. 5th ed. – DSM-5. Washington, DC: American Psychiatric Press.

18.6 THERAPIE

- Agras WS, Walsh BT, Fairburn CG, et al. (2000). A multicenter comparison of cognitive-behavioral therapy and interpersonal psychotherapy for bulimia nervosa. *Arch Gen Psychiatry* 57: 459–466.
- Bauer S, Moessner M (2013). Harnessing the power of technology for the treatment and prevention of eating disorders. *Int J Eat Disord* 46: 508–515.
- Fairburn CG, Norman PA, Welch SL, et al. (1995). A prospective study of outcome in bulimia nervosa and the long-term effects of three psychological treatments. *Arch Gen Psychiatry* 52: 304–312.
- Fichter MM (2002). *Psychopharmakotherapie von Essstörungen*. In: Riederer P, Laux G, Pödingner W (Hrsg.). *Neuro-Psychopharmaka*. Bd. 3, 2. A. Wien: Springer, S. 739–762.
- Fichter MM (2008). *Magersucht und Bulimie: Mut für Betroffene, Angehörige und Freunde*. Basel: Karger.
- Fichter MM, Quadflieg N, Nissl Müller K, et al. (2012). Does internet-based prevention reduce the risk of relapse for anorexia nervosa? *Behav Res Ther* 50: 180–190.
- Hay P (2013). A systematic review of evidence for psychological treatments in eating disorders: 2005–2012. *Int J Eat Disord* 46: 462–469.
- Hudson JI, McElroy SL, Raymond NC, et al. (1998). Fluvoxamine in the treatment of binge-eating disorder: a multicenter placebo-controlled, double-blind trial. *Am J Psychiatry* 155: 1756–1762.
- Klibanski A, Biller BMK, Schoenfeld DA, et al. (1995). The effects of estrogen administration on trabecular bone loss in young women with anorexia nervosa. *J Clin Endocrinol* 80: 898–904.
- Mitchell JE, Roerig J, Steffen K (2013). Biological therapies for eating disorders. *Int J Eat Disord* 46: 470–477.

Stice E, Black Becker C, Yokum S (2013). Eating disorder prevention: current evidence-base and future directions. *Int J Eat Disord* 46: 478–485.

Walsh BT, Kaplan AS, Attia E, et al. (2006). Fluoxetine after weight restoration in anorexia nervosa: JAMA 295: 2605–2612.

LEITLINIEN (SYSTEMATISCH, EVIDENZBASIERT)

AWMF-S3-Leitlinie Diagnostik und Therapie der Ess-Störungen (2011). Registrierungsnummer 051–026 (Revision 2017/2018) in Bearbeitung, AWMF; www.awmf.de.

Herpertz St, Herpertz-Dahlmann B, Fichter M, et al. (2011). S3-Leitlinie Diagnostik und Behandlung der Essstörungen. Heidelberg: Springer.

NICE – National Institute for Clinical Excellence (2004). Eating Disorders. Leicester, UK: The British Psychological Society and Gaskell.

SYSTEMATISCHE COCHRANE REVIEWS (WWW.COCHRANE.DE/DEUTSCH)

Bacaltchuk J, Hay P (2003). Antidepressants versus placebo for people with bulimia nervosa. *Cochrane Database Syst Rev* 4: CD003391.

Claudino AM, Silva de Lima M, Hay PPJ, et al. (2006). Antidepressants for anorexia nervosa. *Cochrane Database Syst Rev* 1: CD004365.

Fisher CA, Hetrick SE, Rushford N (2010). Family therapy for those diagnosed with anorexia nervosa. *Cochrane Database Syst Rev* 4: CD004780.

Hay PPJ, Claudino AM, Kaio MH (2001). Antidepressants versus psychological treatments and their combination for bulimia nervosa. *Cochrane Database Syst Rev* 4: CD003385.

Hay PPJ, Bacaltchuk J, Stefano S, et al. (2009). Psychological treatments for bulimia nervosa and bingeing. *Cochrane Database Syst Rev* 4: CD000562.

Hay PJ, Claudino AM, Touyz S, Abd Elbaky G (2015). Individual psychological therapy in the outpatient treatment of adults with anorexia nervosa. *Cochrane Database Syst Rev* 7: CD003909.

Perkins SJ, Murphy R, Schmidt U, Williams C (2006). Self-help and guided self-help for eating disorders. *Cochrane Database Syst Rev* 3: CD004191.

PATIENTENRATGEBER

Fichter MM (2009). Magersucht und Bulimie. Mut für Betroffene, Angehörige und Freunde. 2. A. Freiburg, Basel: Karger.